ILE NOTATIONS		Mich
ntered in NID File	Checked by Chief	
ntered On S R Sheet	Copy NID to Field Office	
ocation Map Pinned	Approval Letter	***************************************
ard Indexed	Disapproval Letter	Ba = 45 4 4444 + 265 = 4684 + 544 + 4
W R for State or Fee Land		
COMPLETION DATA:		
Date Well Completed 6-10-67	Location Inspected	********************
OW TA	Bond released	
6W OS PA	State of Fee Land	******************
Driller's Look 26 67	FILED	
Electric Logs (No.)		
	. GR GR-N	
Lat Mi-L Son	icOthers All 1	silog
	P. Dougtin 6	1 6 12

Then loration is less than 660' to the No 8 well.



SINCLAIR OIL & GAS COMPANY

501 Lincoln Tower Building Denver. Colorado 80203

May 18, 1967

WESTERN REGION

Re: English WN Lease

Var. Sections-43S-22E SIM San Juan County, Utah

Mr. C. B. Feight, Executive Director Oil and Gas Conservation Commission State of Utah Suite 301 348 East South Temple Salt Lake City, Utah 84111

Dear Sir:

Pursuant the provisions of Cause No. 124-1, Paragraph 4 of Order, application is hereby made for an exception location to be drilled 1970 feet from the North Line and 180 feet from the West Line of Section 22, Township 43 South, Range 22 East, SLM, San Juan County, Utah.

This application is made due to topography of the permitted drilling unit and it is not economically feasible to drill a well within the permitted spacing limits. The ownership of all oil and gas leases within a radius of 660 feet of the proposed exception is common with the ownership under the proposed location.

Your early approval of the application is requested.

Very truly yours,

Ford Haskin Area Supervisor

-Janel Wan

FH/bh

APPROVED BY UTAH OIL AND GAS


CONSERVATION COMMISSION

DATE: 5-19-67 E

Executive Directo

//

Company SINCLAIR OIL & BAS COMPANY			
Well Name & No. WN English #27	an apparate appropriate about the state of t		(*
Location 1970 feet from the North Ine and 180 fe	et from	the Wes	t ne
Sec. 22 , T. 43 S., R. 22 E., S. L. M., County San J	uan		Utah
Ground Elevation			



Scale, 1 inch = 1,000 feet

Surveyed May 17 , 19	9.6	27	•	
----------------------	-----	----	---	--

The type, certify that the above plat was prepared from field notes of actual surveys made by the or under my supervision and that the same are true and correct to the best of my knowledge and belief.

2611

Seal:

Ernest V. Echohawk
Registered Land Surveyor

Utah Registration No. 2611

24

SUBMIT IN 77 TE*

(Other instr. .:oh. on reverse side)

Form approved, Budget Bureau No. 42-R1425.

UNITED STATES
DEPARTMENT OF THE INTERIOR

	GEOLO	OGICAL SURVEY			I-149-1199-7180
APPLICATION	FOR PERMIT	TO DRILL, DE	EPEN, OR PLUG I	BACK 6. II	F INDIAN, ALLOTTEE OR TRIBE NA
a. TYPE OF WORK		Deeper =	N.110 F :	7 17	EAVAJO NIT AGREEMENT NAME
DRI 5. TYPE OF WELL	LL 🗷	DEEPEN 🗌	PLUG BA	CK □ 。	AVERDED TO THE STREET
OIL GA			SINGLE MULTII	PLE S. F.	ARM OR LEASE, NAME
NAME OF OPERATOR	ELL OTHER		ZONE LAS ZONE	20	wlish Wi
ineleir Oil &	Gas Company			9. W	BLL NO.
ADDRESS OF OPERATOR			·····		27
Ol Lincoln To	or Mdg., 1860	Lincoln St.,	Desiver, Colo. 8	0203 10. 1	FIELD AND POOL, OR WILDCAT
LOCATION OF WELL (Re	eport location clearly and	d in accordance with a	ny State requirements.*)	Box	undary Butte - Coo
SN MV - 1970'	1/North and 15	0' f/West lin	os Sec. 22-438-2	22 11. 5	MC., T., B., M., OR BLK.
At proposed prod. zon	e	N/4. 6 2"	1/	محق ا	Mion 22-h38-225
DISTANCE IN MILES	ND DIRECTION FROM NEA	DESCRIPTION OF POST OF	W TONA	12 6	OUNTY OR PARISH 13, STATE
e. DISTANCE IN MILES A	IND DIRECTION BROWN NEA	INDEED TOWN OR FOST OF	B1C#,	12.	
5. DISTANCE FROM PROPO	SED* 44301 6/7-	- 34 16	. NO. OF ACRES IN LEASE	17. NO. OF ACR	. 4:
LOCATION TO NEAREST PROPERTY OR LEASE L	INE, FT.	AAAAA		TO THIS WI	ILL.
(Also to nearest drlg	unit line, if any)	19	. PROPOSED DEPTH	20. ROTARY OR	
TO NEAREST WELL, DI OR APPLIED FOR, ON THI	RILLING, COMPLETED, 🍑	0' 2/#8	1750"	Rota	A STATE OF THE STA
. ELEVATIONS (Show whe			4(24)		APPROX: DATE WORK WILL STA
		5334 ground 1	avel		May 22, 1967
3.			AND CEMENTING PROGR.	AM	
SIGN OF WALL				<u>,</u>	UANTITY OF CEMENT
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SE TTING DEPTH	-	COANTITE OF CRIMENT
7 SJ T # 14 E	=== 1 == 7				
14° 14"	11 -1-	214	447 8 A	100 mx (6	ms hossen to top)
7-7/8s	he or 54°	rith rotary to	Tenal depth ols to depth suf	100 ex	test the Gooding
rmation, top oprox 100° and th sufficient	of which is and comented botto	rith retary to ticipated at I om to top. If test all some	ole to depth suf hbb. 8-5/8"CD productive, hg	100 ex ficient to surface cas or 5% cil	ting will be set a string will be se
ormation, top operar 100° and the sufficient conserve, a	of which is and commented betto comment to produce and well complete	rith retary to ticipated at I om to top. If test all some ted.	ole to depth suf hbb. 8-5/8"CD productive, hg	100 ex ficient to surface cas or 5% cil	ting will be set a string will be se
ormation, top open 100' and th sufficient necessary, a ortified Locat	of which is and comented bette coment to prot and well complet ion Plat Attack	rith rotary to ticipated at I om to top. If test all some ted.	pole to depth suf high. 8-5/8"(D) productive, high productive som	ficient to purface can er 5% cil	ting will be set a string will be se
praction, top open 100° and th sufficient necessary, a crtified location polication for	of which is and comented bette coment to prote and well complete ion Flat Attack exception local servation Commis	rith retary to ticipated at I om to top. If test all some ted. / had. / ation, Paragra ission 5/18/67	pole to depth suf high. 8-5/8"CD productive, high productive som with a Corder, Corder	100 ex ficient to surface com or 52" cil os will be surse No. 11 oved 5/19/6	ting will be set a string will be se perforated, treat
praction, top open 100° and th sufficient necessary, a crtified location polication for	of which is and comented bette coment to prote and well complete ion Flat Attack exception local servation Commis	rith retary to ticipated at I om to top. If test all some ted. / had. / ation, Paragra ission 5/18/67	pole to depth suf hist. 8-5/8"CD productive, his productive son	100 ex ficient to surface com or 52" cil os will be surse No. 11 oved 5/19/6	ting will be set a string will be se perforated, treat
pration, top operat 100 and the sufficient incomment, as writing location for and Gas Contact	of which is and comented bette coment to produce to produce the complete complete the produce the proposed programs of the complete the proposed programs. If Irill or deepen directions	rith rotary to dicipated at 1 m to top. In test all some test. I had. had. proposal is to deeper of the some test.	pole to depth suf hist. 8-5/8°CD productive, his productive som the cf Order, Co verbally appro-	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treat
prox 100 and the sufficient necessary, a stifled locate splication for 11 and Gas Con	of which is and comented bette coment to produce to produce the complete complete the produce the proposed programs of the complete the proposed programs. If Irill or deepen directions	rith rotary to dicipated at 1 m to top. In test all some test. I had. had. proposal is to deeper of the some test.	pole to depth suf hist. 8-5/8°CD productive, his productive som the cf Order, Co verbally appro-	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treat thele, made to Stah
prox 100 and the sufficient necessary, a stified location for a land Gas Constituted and Gas Constituted a	of which is and comented bette coment to produce to produce the complete complete the produce the proposed programs of the complete the proposed programs. If Irill or deepen directions	rith rotary to dicipated at 1 m to top. In toet all some tod. I had. had. proposal is to deeper of the control of the contro	pole to depth suf hist. 8-5/8°CD productive, his productive som the cf Order, Co verbally appro-	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treated, treated, treated, the stah
prox 100 and the sufficient necessary, a stricted location for land Gas Constituted and Gas Constituted an	or which is and comented better coment to provide the provide of the complete of the provide of the proposed program: If it is a proposed program is a proposed program in the proposed program is a proposed program.	rith rotary to decipated at 1 m to top. In the top. In	pole to depth suf hist. 8-5/8°CD productive, his productive som the cf Order, Co verbally appro-	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treat thele, made to Stah
prox 100 and the sufficient necessary, a stricted location for land Gas Constituted and Gas Constituted an	of which is and comented bette coment to produce to produce the complete complete the produce the proposed programs of the complete the proposed programs. If Irill or deepen directions	rith rotary to decipated at 1 m to top. In the top. In	pole to depth suf hist. 8-5/8°CD productive, his productive som the cf Order, Co verbally appro-	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treated, treated, treated, the stah
prox 100 and the sufficient necessary, a stricted location for land Gas Constituted and Gas Constituted an	or which is and comented better coment to provide the provide of the complete of the provide of the proposed program: If it is a proposed program is a proposed program in the proposed program is a proposed program.	rith rotary to decipated at 1 m to top. In the top. In	pole to depth suf hist. 8-5/8°CD productive, his productive som the cf Order, Co verbally appro-	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treated, treated, treated, the stah
prox 100 and the sufficient necessary, a stricted location for a land Gas Constitution for the sufficient fo	or which is and comented better coment to provide the provide of the complete of the provide of the proposed program: If it is a proposed program is a proposed program in the proposed program is a proposed program.	rith rotary to decipated at 1 m to top. In the top. In	pole to depth sufficient t	ficient to surface car ser cil be will be swill	string will be se perforated, treat [4-1, made to Stab
ABOVE SPACE DESCRIBE THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PERMIT NO. APPROVED BY	or which is and comented better coment to prove the complete compl	rith rotary to design to top. In the top.	pole to depth sufficient t	ficient to surface car ser cil be will be swill	ting will be set a string will be se perforated, treated, treated, treated, the stah
ABOVE SPACE DESCRIBE THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PERMIT NO.	or which is and comented better coment to prove the complete compl	rith rotary to design to top. In the top.	pole to depth sufficient t	ficient to surface car ser cil be will be swill	ctring will be set a string will be se perforated, treated, treate
ABOVE SPACE DESCRIBE THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PERMIT NO. APPROVED BY	or which is and comented better coment to prove the complete compl	rith rotary to design to top. In the top.	pole to depth sufficient t	ficient to surface car ser cil be will be swill	ctring will be set a string will be se perforated, treated, treate

May 22, 1967

Sinclair Oil and Gas Company 501 Lincoln Tower Building 1860 Lincoln Street Denver, Colorado 80203

> Re: Well No. English WN #27, Sec. 22, T. 43 S., R. 22 E., San Juan County, Utah.

Gentlemen:

This letter is to confirm verbal approval given by Paul W. Burchell, Chief Petroleum Engineer on May 19, 1967 in accordance with paragraph 4 of the Order issued in Cause No. 124-1 cated November 10, 1966.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer HOME: 277-2890 - Salt Lake City, Utah OFFICE: 328-5771 - 328-5772 - 328-5773

This approval terminates within 90 days if the well has not been spudded-in within said period.

Enclosed please find Form OGCC-8-X, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your cooperation with respect to completing this form will be greatly appreciated.



-2-

The API number assigned to this well is 43-037-20235 (see Bulletin D12 published by the American Petroleum Institute).

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF:sc

cc:

U. S. Geological Survey
P. T. McGrath, District Engineer

P. O. Box 959

Farmington, New Mexico

DEPARTMENT OF THE INTERIOR (Other instru. verse side)

JCATE*

Form approved.

		Duuget		U. 12-1	
.	LEASE	DESIGN			

SUNDRY NOT (Do not use this form for propose Use "APPLICA"	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
OIL GAS OTHER		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Sinclair 611 & Gas Comp	pany	8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR 501 Lincoln Tower Bldg.	, 1860 Hincoln St., Derver, Colo. 80203	9. WELL NO.
See also space 17 below.) At surface	early and in accordance with any State requirements.* & 180° 1/West lines Sep. 22-435-228	10. FIELD AND POOL, OR WILDCAT Broadery Brite-Coconine 11. BEC., T., E., M., OR BLE. AND SURVEY OR ARBA
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, (R, etc.)	22-438-22E, SIN 12. COUNTY OR PARISH 13. STATE
Mr.J.L.Ward, 5/22/67	5334' ground level	San Juan Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL MULTIPLE COMPLETE FRACTURE TREATMENT FRACTURE TREAT SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING REPAIR WELL CHANGE PLANS (Other) ___ (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Spudded 9:00 p.m. 6/2/67. Drld 12}" hole to 105'. Set 3 its 8-5/8"00 2k at 100', GM, w/ 100 sx cement, 3% GeGl, plug down h a.m. 6/3/67. WOC. Tested cag and BOP @ 500# 1/ 30 min. O.K.. 6/4/67 Drilling ahead @ 8hl'.

18. I hereby certify that the foregoing is true and correct		7.1.1	1.	
SIGNED M. E. Brown	TITLE Chief Office Clark		DATE _	6/5/67
(This space for Federal or State office use)				-
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE		DATE _	

Form	9-331
(May	1963)

NITED STATES DEPARTMENT OF THE INTERIOR (Other Instru-

SUBMIT IN

ICATE*

Form approved.
Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

	I-149-	IID.	7186
П		_	

(GEOLOGICAL SURVEY	I-1k9-IND-7180
(Do not use this form for propo	Sals to drill or to deepen or plug back to a different reservoir. ATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL GAS OTHER		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Minclair Oil & Gas Compa	KY	8. FARM OR LEASE NAME.
3. Address of operator Ol Idnooln Tower Eldg.,	1860 Minceln St., Denver, Colo. 80203	9. WELL NO.
	clearly and in accordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT BURNELLY Beblu-Coccuine
SM NM - 1970' 2/North	180' 1/West lines Sec. 22-438-228	11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
.J. L. Vierrel . 5/29/67	Sith! ground level	San Juan Bah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF		PULL OR ALTER CASING	7	WATER SHUT-OFF REPAIRING WELL
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT ALTERING CASING
SHOOT OR ACIDIZE		ABANDON*	 1	SHOOTING OR ACIDIZING ABANDONMENT®
REPAIR WELL		CHANGE PLANS	 -	(Other) Drilling & certing all string I
(Other)				(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

DST #1, 1130-1150', Gocomino, Open 12 hrs. Res'd 3101 oil, 60' med out oil, 60' ail out and. No ISIP, BEFF 39-197#, 30 min PSIP 405# (Chart indicated tool plugging during lat 30 min of test.

DST #2, 1h67-1h82', Cocomino, Open 1 hr, gd blow. Rec'd 660' closh eil, 60' drlg mmd. 30 min ISIP h18#, BMFP 79-262#, 30 min FSIP h05#. Hyd 70h#. Drld to 1875'.

TD 1575' - Ran legs. Set 50 jts 5-1/2"OD 1kf SH easing @ 1575', ground mane, with 180 ex Class "A" cement, pump plug to 15k1', plug down 7 a.m. 6/6/67; WCC.

Propare to perferate and complete.

18. I hereby certify that the foregoing is true and correct		
SIGNED 2	TITLE Chief Office Clerk	DATE 6/8/67
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE

Form 9-331 (May 1963)	DEPAR'	、 TED STATES TM⊾NT OF THE INTE	SUBMIT IN TI CATE (Other instruct. on re		au No. 42-R1424
		GEOLOGICAL SURVEY		I-149-100-7	180
(Do not u		DTICES AND REPORTS posals to drill or to deepen or plication FOR PERMIT—" for suc		6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
1. OIL (====================================	GA'S			7. UNIT AGREEMENT NA	AME
WELL	WELLOTHER	<u> </u>			
2. NAME OF OPER				8. FARM OR LEASE NAT	ME
	Oll & Gas Co	MPARY		Reglish W	
3. ADDRESS OF O				9. WELL NO.	
			., Dermer, Colo. 80203	27	
See also space		n clearly and in accordance with	any State requirements.*	10. FIELD AND POOL, O	R WILDCAT
At surface	1970' £/Mort	h & 180° f/West line	es Sec. 22-438-22E	11. SEC., T., R., M., OR SURVEY OR AREA	BLK. AND
14. PERMIT NO.		15. ELEVATIONS (Show whethe	er DF, RT, (R, etc.)	12. COUNTY OR PARISE	
r.J.L.Ward	. 5/22/67	5334 ground 1	laren)	San Juan	Utah
					1
16.	Check A	Appropriate Box To Indicate	e Nature of Notice, Report, or (Other Data	
	NOTICE OF INT	ENTION TO:	SUBSEC	QUENT REPORT OF:	
TEST WATER	SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING	OFFI.T.
FRACTURE TRI		MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING C	
SHOOT OR ACI		ABANDON*	SHOOTING OR ACIDIZING	ABANDONME	
REPAIR WELL			(Other) Complete	ABANDONAL	
	L	CHANGE PLANS	(Note: Report result	s of multiple completion	
(Other)			Completion or Recomplement details, and give pertinent dates	pletion Report and Log fo	
proposed we nent to this	work.) *	tionally drilled, give subsurface l	locations and measured and true verti	cal depths for all marker	s and zones pert
6/8/67	MT comm	letion unit			
10	- Perfore 2-3/8"0 29 BDV	ted Cocenine 1489-14 D the, set in SH 0 1 and 12 BO in h hrs,		foot, Ren hB to to Macc'. So eil, SD O'mite.	jts vbd
.ans		, swid 55 bbl oil in br, FL 1150', rate	of 192 BOPD. COMPLETE	D OIL ARIT 6/10	1/67
	To insta	all pumping equipmen	16.		

18. I hereby certify that the foregoing is true and correct				***************************************
SIGNED	TITLE .	Chief Office Clerk	DATE .	6/12/67
(This space for Federal or State office use)				
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE .		DATE .	

Form 9-330 (Rev. 5-63)

UNITED STATES SUBI DEPARTMENT OF THE INTERIO

SUBMIT IN DUPLICATE*
(See other i

Form approved.
ring Budget Bureau No. 42-R355.5.
solution 5. LEASE DESIGNATION AND SERIAL NO.

THE INTERIOR	structions reverse si
CHDVEV	Teverse at

			AL SURVEY	·		T. Then. The	D. Talio
WELL CC	MPLETION	OR RECON	APLETION	REPORT A	AND LOG	* 6. IF INDIAN, CAL	LOTTER OR TRIBE NA
TYPE OF WE	WELL	WELL WELL	DRY	Other	•	7. UNIT AGREEM	NAME
TYPE OF COM	MPLETION: WORK DEEP OVER EN	PLUG BACK	DIFF.	Other	3	S. FARM OR LEAS	SE NAME
NAME OF OPERA	ATOR			Other		Resident M	
Mnelair (Dil & Ges Co	speay	·····			9. W-101 NO.	
501 IAncol	in Tower Eld	g.,1860 Is	ncoln St.,	Denver,	Jolo. 802	10, FIELD AND PO	DOL, OR WILDCAT
At surface	ELL (Report location						, OR BLOCK AND SURV
At top prod. in	terval reported belo	•				OR AREA	.a. 600 - 2714
At total depth	Same	Same	7, 37		į.	200. 2246	35-22E, BIM
			14. PERMIT NO		ATE ISSUED	12. COUNTY OR PARISH	13. STATE
DATE SPUDDED	16. DATE T.D. REA	ACHED 17. DATE	COMPL. (Ready		5/22/67 ELEVATIONS (DF	REB, RT, GR, ETC.)* 19	. ELEV. CASINGHEAD
6/2/67 FOTAL DEPTH, MD	6/5/67	BACK T.D., MD & T	0/67		lik green		53341
1575°		PERD	HOW M	TIPLE COMPL.,	23. INTER DRILL		CABLE TOOLS
	CRVAL(S), OF THIS CO	OMPLETION—TOP,	BOTTOM, NAME (MD AND TVI)*	!	0-1373	25. WAS DIRECTIONAL SURVEY MADE
Santan .	- Top @ 142k						SCRVET MADE
CABING SIZE	WEIGHT, LB./FT		NG RECORD (Rep	LE SHEE	- i i 	NTING RECORD	AMOUNT PULLE
8-5/8"	21/	2001			00 m, 3		_ None
5-1/2"		1575	- 73		100 Ax C14	DE WAN	- Rebé
							-
	L	INER RECORD			1 20	TUPING PROOF	
SIZE		INER RECORD	BACKS CEMENT*	SCREEN (MD)	30.	TUBING RECORD DEPTH SET (MD)	PACKER SET (MD
SIZE			SACKS CEMENT*	SCREEN (MD)			PACKER SET (MD
		воттом (мв)	BACKS CEMENT	SCREEN (MD)	size 2=3/8*	DEPTH SET (MD)	
PERFORATION RE	TOP (MD)	and number)			SIZE 2-3/8* ACID, SHOT, 1	DEPTH SET (MD)	UEEZE, ETC.
PERFORATION RE	TOP (MD)	and number)		32.	SIZE 2-3/8* ACID, SHOT, 1	DEPTH SET (MD) PRACTURE, CEMENT SQ AMOUNT AND KIND OF	····
PERFORATION RE	TOP (MD)	and number)		32.	SIZE 2-3/8* ACID, SHOT, 1 EVAL (MD)	DEPTH SET (MD) PRACTURE, CEMENT SQ AMOUNT AND KIND OF	UEEZE, ETC.
PERFORATION RE	TOP (MD)	and number)	/ s.	32.	SIZE 2-3/8* ACID, SHOT, 1 EVAL (MD)	DEPTH SET (MD) PRACTURE, CEMENT SQ AMOUNT AND KIND OF	UEEZE, ETC.
PERFORATION REG	TOP (MD) CORD (Interval, size	and number)	/ s.	32. DEPTH INTE	ACID, SHOT, 1 EVAL (MD)	DEPTH SET (MD) FRACTURE, CEMENT SQ AMOUNT AND KIND OF	UEEZE, ETC.
PERFORATION RE	TOP (MD) CORD (Interval, size	and number)	PRGI owing, gas lift, p	32. DEPTH INTE	ACID, SHOT, 1 EVAL (MD)	DEPTH SET (MD) FRACTURE, CEMENT SQ AMOUNT AND KIND OF	UEEZE, ETC. MATERIAL USED
FIRST PRODUCT OF TEST /10/67	TOP (MD) CORD (Interval, size 11.89-11.95 PRODUCT HOURS TESTED 3 hrs small	and number) Tion Method (File Choke Size	PRGI owing, gas lift, p	32. DEPTH INTE	ACID, SHOT, 1 BVAL (MD) Mot. tr	DEPTH SET (MD) PRACTURE, CEMENT SQ AMOUNT AND KIND OF WELL STAT Shut-in)	UEEZE, ETC. MATERIAL USED US (Producing or
FIRST PRODUCT OF TEST /10/67	TOP (MD) CORD (Interval, size 11.89-11.95 PRODUCT HOURS TESTED	and number) FION METHOD (FI	PROJON. FOR TEST PERIOD	DUCTION umping—siz; an	ACID, SHOT, I RVAL (MD) Mot type of pump GAS—MCF	DEPTH SET (MD) FRACTURE, CEMENT SQ AMOUNT AND KIND OF WELL STAT Shut-in) WATER—BBL.	UEEZE, ETC. MATERIAL USED US (Producing or GAS-OIL RATIO
FIRST PRODUCT 12/67 OF TEST /10/67 TUBING PRESS.	TOP (MD) CORD (Interval, size 11.89-11.95 PRODUCT HOURS TESTED 3 hrs small	and number) TION METHOD (FI CHOKE SIZE CALCULATED 24-HOUR RATE	PROJON. FOR TEST PERIOD	DUCTION umping—siz; an	ACID, SHOT, I RVAL (MD) Mot type of pump GAS—MCF	DEPTH SET (MD) FRACTURE, CEMENT SQ AMOUNT AND KIND OF WELL STAT Shut-in) WATER—BBL.	UEEZE, ETC. MATERIAL USED US (Producing or GAS-DIL RATIO GRAVITY-API (CORR.)
FIRST PRODUCT 12/67 OF TEST 10/67 TUBING PRESS.	TOP (MD) CORD (Interval, size 11.89-11.95 PRODUCT HOURS TESTED CASING PRESSURE CASING PRESSURE	and number) TION METHOD (FI CHOKE SIZE CALCULATED 24-HOUR RATE	PROJON. FOR TEST PERIOD	DUCTION umping—siz; an	ACID, SHOT, I RVAL (MD) Mot type of pump GAS—MCF	DEPTH SET (MD) FRACTURE, CEMENT SQ AMOUNT AND KIND OF WELL STAT Shut-in) WATER—BBL. ATER—BBL.	UEEZE, ETC. MATERIAL USED US (Producing or GAS-DIL RATIO GRAVITY-API (CORR.)
FIRST PRODUCT 12/67 OF TEST /10/67 TUBING PRESS.	TOP (MD) CORD (Interval, size 11.89-11.95 PRODUCT HOURS TESTED CASING PRESSURE CASING PRESSURE	and number) TION METHOD (FI CHOKE SIZE CALCULATED 24-HOUR RATE	PROJON. FOR TEST PERIOD	DUCTION umping—siz; an	ACID, SHOT, I RVAL (MD) Mot type of pump GAS—MCF	DEPTH SET (MD) FRACTURE, CEMENT SQ AMOUNT AND KIND OF WELL STAT Shut-in) WATER—BBL. ATER—BBL.	UEEZE, ETC. MATERIAL USED US (Producing or GAS-DIL RATIO GRAVITY-API (CORR.)

INSTRUCTIONS

submitted, pursuant regard to local, and or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly split regard to local, are along in regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, sample and core analysis, all types electric, etc.), formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency,

should be listed on this form, see item 35. or Federal office for specific instructions.

Her 122 induce to specime and in any attachments.

Her 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified,

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

| Nem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

| Nem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

			TRUE VERT. DEPTH							• • •		, 1944) 194		
,			TRUE VER						43)) 5. 2	<u>.</u>			·	
GEOLOGIC MARKERS		TOP	MEAS. DEPTH	* - 1 * - 1	1000 1000 1000 1000 1000 1000 1000 100				Se	Wegg		*** · · · · · · · · · · · · · · · · · ·	 •	
38 GEOLOG		2			Chingate	Cacontina								
	TENTREBERGY, CORED INTERFALS, AND ALL DELL'ESER, INCLUDING PEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	DESCRIPTION, CONTENTS, ETC.		Sendstone, red-brene, fine grain, silly &	Shale, red-bronn to gray green mair base,	State, and to great & maralle	undertone, light brown, fine	truce tight filty and, shalond.						
	SITY AND CONTEN	BOTTOM		Ř	ä	ii a	222							
OUS ZONES:	SHOW ALL IMPORTANT ZONES OF POROSITI AND CONTENTS THEREOF, DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, PLOWING	TOP		Serfese	R		12	· · · · ·	 					
37. BUMMARY OF POROUS ZONES:	SHOW ALL IMPOR DEPTH INTERVAL	FORMATION		Wage to	Objection	Total section of	Checoutine		3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		en e			

FILE IN QUADRUPLICATE

STATE OF UTAH. OIL & GAS CONSERVATION COMMISSION 348 EAST SOUTH TEMPLE SUITE 301 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & N	umber English WN	Well #27				
	clair ^O il & Gas Comp		Address_	1860 Inncoln St. Denver, Colo	_Phone_	266-2460
Contractor L	offland Bros. Co.		Address_	Box 688 Farmington, N.M.	_Phone_	AC 505 325-5001
Location <u>씨</u> ද	№ ½ Sec. 22 Т. <u>Ц3</u>	n R. 22	_E	San Juan		County, Utah
Water Sands:						
Do	epth		Volume		<u>(</u>	Quality
From	То	Flow R	ate or H	ead	Fresh	or Salty
1Recove	ory on DST 1430-501:				oil a	it mid
2	1 1467-821:	660° c1	ean oil,	, 50' drlg mud.	·• ·	
3. No man	water encountered	•	·			
4						
5	·					
			(Con	tinued on reverse	side i	f necessary)
Formation Tops	<u>s</u> :					

Remarks:

NOTE:

- (a) Upon diminishing supply of forms, please inform the Commission.
- (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form).
- (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNI D STATES SUBMIT IN TRIPLA E* Other instructions on re- DEPARTMENT OF THE INTERIOR (Other instructions on re-	Form approved. Budget Bureau No. 42-R1424. LEASE DESIGNATION AND SERIAL NO.
GEOLOGICAL SURVEY	
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
(Do not use this form for proposals to drill or to deepen or plug back to a lifterent reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	Havajo
GAS GAS WELL OTHER	7. UNIT AGREEMENT NAME
NAME OF OPERATOR	8. FARM OR LEASE NAME
Atlantic Michfield Company ADDRESS OF OPERATOR	English WN 9. WELL NO.
501 Lincoln Tower Bldg. 1860 Lincoln St. Danver Colo. 80203 Location of Well (Report location Clearly and in accordance with any State requirements.* See also space 17 below.)	27 10. FIELD AND POOL, OR WILDCAT
At surface SW NW - 1970' f/North & 180' f/West lines Sec. 22	Boundary Butte - Coconing 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec. 22-435-22E, SIM
4. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, efc.)	12. COUNTY OR PARISH 13. STATE
5334 Ground level	San Juan Utah
Check Appropriate Box To Indicate Nature of Notice, Report, or C	ther Data
NOTICE OF INTENTION TO:	ENT REPORT OF:
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) Addil Perf. WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING ('Other) (Note: Report results Completion or Recomple To DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates,	REPAIRING WELL ALTERING CASING ABANDONMENT* of multiple completion on Well etion Report and Log form.)
Production from this well has declined to 21 HO & 31 HW per de 11:89-11:95. In an effort to increase producthon, it is propor perforate 11:70-76 and acidise perfs 11:70-76 & 11:89-95, additional acidise perfs 11:33-59, and put well on pump.	sed to additionally

DATE ___

APPROVED BY ______CONDITIONS OF APPROVAL, IF ANY:

Form (May	9-331 1963)	
Λ		

UI . ED STATES SUBMIT IN TRIP ATE* DEPARTMENT OF THE INTERIOR (Other instructions on re-

Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

/	GEOLOGICAL SI	1-149-IND-7	180		
	DRY NOTICES AND RE	6. IF INDIAN, ALLOTTEE	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo 7. UNIT AGREEMENT NAME		
1. OIL GAS G			7. UNIT AGREEMENT NAM	1E	
2. NAME OF OPERATOR Atlantic Rich	other		8. FARM OR LEASE NAME English WN	g.	
3. ADDRESS OF OPERATOR			9. WELL NO.		
501 Lincoln T	ower Bldg., 1860 Linco	oln St., Denver, Colo. 8020	03 27		
4. LOCATION OF WELL (Re See also space 17 below At surface	eport location clearly and in accordance.)	nce with any State requirements.*	10. FIELD AND POOL, OR Boundary But		
SW NW - 1970'	f/North & 180' f/Wes	t lines Sec 22	11. SEC., T., B., M., OR BL SURVEY OR ABEA		
	17 463	t Tines, Sec. 22	Sec. 22-435-	·22E. SLM	
14. PERMIT NO.		ow whether DF, RT, GR, (tc.)	12. COUNTY OR PARISH	13. STATE	
Mr. McGrath	7/1/74	5334' G.L.	San Juan	Utah	
16.		Indicate Nature of Notice, Report, o			
No	OTICE OF INTENTION TO:	SUBS	SEQUENT REPORT OF:		
TEST WATER SHUT-OF			REPAIRING WE	ILL	
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CAS		
SHOOT OR ACIDIZE	ABANDON* CHANGE PLANS	E HOOTING OR ACIDIZING	ABANDONMENT	·*	
REPAIR WELL (Other)	CHANGE PLANS	(Note: Report rest	alts of multiple completion or mpletion Report and Log form	ı Well	
nent to this work.)* 7/10/74 1541 7/11/74 1541 1/11/75 1541 1/12/75 1541	1459' w/252" bul Ran rods & returned PB - Pulled rods, pu bore packer on 2-3/8 1470-76' & 1489-95' 500 gal 15% HCl @ 1- 1/2% HCl @ 1-1/2 RPM 15 min 200#, bled of perfs 1433-59' down gal 2-1/2% HCl, disp ISD 700#, 3-1/2 min corrosion inhibitor, per 1000 gal L-41 ir A-130 corrosion inhi All crude w/.3% W-35 PB - Ran 2-3/8" OD t 15 - 48' SPM, 1-3/4"	imp, & tubing. Perforated Clets per foot. Ran 2-3/8" to pumping. imp and tubing. Ran Baker ratubing. Set BP @ 1511', as follows: Loaded annulus 1/2 BPM; 750 gal reg mud al, displaced w/6-1/2 bbl is f pressure. Reset BP @ 146 tubing w/100) gal 15% HCl, laced w/6-1/2 bbl ise crud 400f, AIR 1-1/2 BPM. All a .2% F-75 surfactant, .05% on sequestrant. The 2-1/2% bitor, .2% F-75 surfactant non-emulsifying agent. ubing, landed @ 1506'. Ran bore pump.	tubing, landed @ etrievable bridge packer @ 1464'. A w/17-1/2 bb1 cru- cid @ 1-1/2 BPM; e crude, MP 800#, 4' & packer @ 141' 1500 gal reg mud e. Max pr 2450#, cid contained: .2' J-237 diverting a HC1 overflush con , .5% L-42 clay so	plug & full cidized perf: de; pumped 1000 gal 2- ISD 600# 7'. Acidized acid, 2000 avg 650#, % A-130 agent, 15# ntained .2% tabilizer.	
1/13/75 1541	PB - COMPLETED WORKO perfs 1433-59', 1470 perfg: 21 BO & 31 BW	VER 1/13/75. Pumped 76 BO -76' & 1489-95', 15-48' SPI PD. Priod to acidizing: 50	\$ 77 BW In 24 hrs M. 1-3/4" pump. Pi BO \$ 33 BWPD.	s f/Coconino rior to add!	
8. I hereby certify that t	he foregoing is true and correct				
SIGNED IC AL	Walther, John	PITLE Dist. Prod. & Drig. Se	upt. DATE 1/16/7	15	
(This space for Federa	al or State office use)				
APPROVED BY		TITLE	DATE		

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

ructions on 031117

	IVISION OF OIL, GA			l l		
					l-149-Ind-71	
SUNDRY De not use this form for Use "Al	NOTICES AND R	EPORTS	ON WELLS back to a different received		is indian. Allotti Navajo	A OR TRIBS NAME
					UNIT AGESSMONT N	AM 0
	Change of Op	erator				
MAME OF OFERATOR Prese	nt Operator				FARM OR LEASE NA	M 3
ARCO Oil and Gas Co	mpany, a Divisio	n of Atl	antic Richfield (English WN	
P. O. Box 1610 - Mi	dland. Texas 797	02		•	27	
LOCATION OF WELL (Report location also space 17 below.)	•	-	State requirements.		. PIBLO AND POOL,	SE WILDCAT
See also space 17 below.) At surface			• -	E	Soundary But	te
	1 22-T43S-R22E			11	. asc., T., B., M., OR ABA SO TEVEDS	BLE. AND A
1970 FNL 180	FWL				22 m/	43 <i>a</i>
	I IS. BLEVATIONS (har mhaile a		, , , , , , , , , , , , , , , , , , , ,	ection 22-T4	
PREMIT NO.	G. BESVARIONS (S	6224			an Juan	Utah
	1					1
Chec	ek Appropriate Box T	o Indicate i	Nature of Notice, Rep	ert, or Othe	er Data	
NOTICE OF	INTENTION TO:			THEUPEREUR	ASPORT OF:	
TEST WATER SEUT-OFF	PULL OR ALTER CASE	NG	WATER SHUT-OFF		REPAIRING	WELL
PRACTURE TREAT	MULTIPLE COMPLETS		PRACTURE TREATME	INT	ALTERING C	
SHOOT OR ACIDISS	ABAMDON*		BROUTING OR ACIDE	EING	A SAMUON M E	, MT*
REPAIR WELL	CHANGE PLANS		(Other)	et results of t	auitiple completion	os Well
(Other) Change of (nerator	X	il alastan	- Been mulation	Report and Log fit	res.)
proposed work. If well is ness to this work.) * The parties 1	IND OPERATIONS (Clearly attained directionally drilled give in the control of the	te all pertine	and district and atmospherical	ent dates, inci ne vertical de	uding estimated da pths for all marker	
The parties of the well is ness to this work. If well is ness to this work. If well is ness to this work. From: F	Listed below wish described above	to noti Company, 2702 Company	nt devalls, and give pertine micros and measured and true. fy this Commissi a Division of A	ent dates, included were vertical de	uding estimated da pths for all marker e change of	operator
The parties of the well is ness to this work. If well is ness to this work. If well is ness to this work. From: F	isted below wish described above accordingly drilled give in the described above accordingly drilled give in the described above accordingly and Gas accordingly accordingly accordingly accordingly described above accordingly according	ce all pertine subsurface local not not in to not in Company, 9702 Company ico 8820	a Division of A	on of the stlantic	uding estimated da pths for all marker e change of	operator
The parties of the well is nest to this work. If well is nest to this work. If well is nest to this work. The parties of for the well. From: F. To: I	Listed below wish described above arco oil and Gas 2. O. Box 1610 didland, Texas 75 Hondo Oil & Gas P.O. Box 2208 Roswell, New Mex 3720235	ce all pertine subsurface local not not in to not in Company, 9702 Company ico 8820	a Division of A	on of the stlantic	e change of Richfield Co	operator
DESCRIBE CHIPDERD OR COMPLET PROPOSED WORK. If well is ness to this work.) The parties I for the well From: A To: I	Listed below wish described above arco oil and Gas 2. O. Box 1610 didland, Texas 75 Hondo Oil & Gas P.O. Box 2208 Roswell, New Mex 3720235	ce all pertine subsurface local not not in to not in Company, 9702 Company ico 8820	a Division of A	on of the stlantic	e change of Richfield Co	operator
DESCRIBE PROPOSED OR COMPLET PROPOSED WORK. If well is nest to this work.)* The parties I for the well From: A To: I API No: 4303 Effective Date I hereby certify that the fore	Listed below wish described above accordingly drilled give in the described above accordingly drilled give in the described above accordingly and Gas accordingly accordingly accordingly accordingly described above accordingly accordin	Company, 2702 Company ico 8820	a Division of A	on of the stlantic	e change of Richfield Co	operator



2015 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 1941 (+1203. ● (801-538-5340)

_	1		2
Page		ot	

MONTHLY OIL AND GAS PRODUCTION REPORT

PREIDA HENRY HONDO OIL & GAS COMP PO BOX 2208 ROSWELL NM 88202	Utah Account No. N5025 Report Period (Month/Year) 6 / 92 Amended Report				
ell Name	Producing	-	Production Volume		
PI Number Entity Location GLISH WN #12	Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)
03720070 00525 43S 22E 21	CCSD		I-149- INO-7180		
GL15H WN #13	CCSD				
037.3104 00525 43S 22E 21	ccsb		I-147-IND-7180		į
GL: 1.7 WN #14	6620				
037:0105 00525 43S 22E 22	CCSD		I-149-IND-7180		
GLISH WN #16	CCSD				
03720148 00525 43S 22E 22	CCSD		I-149-INO-7180		
GLISH WN #15	ССЭП			ļ	
03720150 00525 43S 22E 16	ccsp		J-149-INO-7180		
GL:SH:WN #17	CCSD			ļ	
第3720175 00525 43S 22E 21	ccsb		tı		• •
GLISH WN #19	CC3B				
03720182 00525 43S 22E 21	ccsD		н		
GLISH WN #20	CCSD	· · · · · · · · · · · · · · · · · · ·			
03720185 00525 43S 22E 21	ccsp		(1)		ļ
GLISH WN #21	10030				
03720187 00525 43S 22E 16	ccsp		11	\$5	
GLISH WN #23	10030	 		 	
03720195 00525 43S 22E 16	CCSD		11		
GLISH WN #25	CCSD	·			
03720217 00525 43S 22E 16	ccsp		[1]		
GLISH WN #27					****
03720235 00525 43S 22E 22	ccsp		11		į
GLISH WN #28	0002		i i		
03720239 00525 43S 22E 21	ccsp		"		
	-				
•	1 (OTAL		<u> </u>	
umanta Inttach assessed start 16 minus					
nments (attach separate sheet if nece	ssaryı				100 E
				,	
we reviewed this report and certify the	information	to he	accurate and complete	Date	
A	Or madion	io ne	accurate and complete.	Natc	
Ci C					

MOUNTAIN STATES PETROLEUM CORPORATION

213 EAST FOURTH STREET
ROSWELL, NEW MEXICO
88201

June 19, 1992

Utah State Tax Commission 160 East Third South Salt Lake City, Utah 84134

Re: Field Number: 305

Field Name: Boundary Butte

San Juan County, Utah

Dear Sir;

Please be advised that Mountain States PetroLeum Corporation has acquired the interest of Hondo Oil & Gas Company, Post Office Box 2208, Roswell, N.M., 88202-2208, in the captioned property.

As operator, Mountain States will be filing and remitting Qil and Gas Severance Tax, Mineral Production Withholding Tax and Oil and Gas Conservation Tax for this property to the State of Utah. It is our understanding that these taxes are remitted quarterly. Hondo has filed and remitted for the 1st quarter of this year. Mountain States will begin filing and remitting with the 2nd quarter.

Please furnish this office at Post Office Box 1936, Roswell, New Mexico, 88202-1936, attention Judy Burkhart, all necessary forms, coupon books, reports and instructions that are applicable. Mountain States Petroleum Corporation's Tax I.D. number is 85-0204476. If you are in need of anything further in this matter please contact the undersigned at (505) 623-7184. Thank you.

Sincerely,

Judy Burkhart,

Judy Bushot

Secretary

17N217800643

Hondo Oil & Gas Company

Roswell, New Mexico 88202 (505) 625-8700





June 23, 1992

Utah State Tax Commission 160 East 300 South Salt Lake City UT 84134-0410

Re: Utah Severance Tax
Return TC-801
Hondo Oil & Gas Company
N5025

Gentlemen:

The Second Quarter taxes due to be paid September 1, 1992 for the English that Hondo Oil & Gas Company has been remitting will be paid by Mountain States Petroleum.

Mountain States Petroleum purchased the English lease effective February, 1992. Please write to them if you need further documentation to record this change of responsibility with your office.

Please direct any and all future correspondence regarding the English to:

Mountain States Petroleum PO Box 1936 Roswell NM 88202-1936

Sincerely,

Toni Reeves

/drs

copy: Mountain States Petroleum

MOUNTAIN STATES PETROLEUM CORPORATION

213 EAST FOURTH STREET
ROSWELL, NEW MEXICO
88201

June 26, 1992

Utah State Tax Commission 160 East Third South Salt Lake City, Utah 84134

Re: Identification Number
Request for New Application

Gentlemen:

Please refer to Mountain States Petroleum Corporaton's letter dated June 19, 1992, and Hondo Oil & Gas Company's letter dated June 23, 1992, relative to the change in ownership of the English lease and wells located in San Juan County, Utah.

Please furnish Mountain States with an identification number or application for the same in order that we may successfully file and pay the Second Quarter taxes which will be coming due for this property.

Please direct your reply or any questions you may have concerning this matter to the undersigned at Post Office Box 1936, Rosvell, New Mexico, 88202-1936 or (505) 623-7184. Thank you.

Sincerely,

Judy Burkhart,

Secretary

Enclosures: 2
Attachment

DECENVED

DIVISION OF OIL GAS & MINING

MOUNTAIN STATES PETROLEUM CORPORATION

213 EAST FOURTH STREET
ROSWELL, NEW MEXICO
88201

July 31, 1992

State of Utah
Department of Natural Resources
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attention: Leisha Romero,

Division of Oil, Gas and Mining

Re: Change of Operator

Boundary Butte/English wells

San Juan County, Utah

Dear Ms. Romero,

Pursuant to our telephone conversation this morning, please find enclosed one Sundry Notice for each well affected by the Change of Operator from Hondo Oil & Gas Company to Mountain States Petroleum Corporation.

As we discussed, after you receive these papers and assign Mountain States Petroleum Corporation an account number you will call our office and advise us of the number so that we can use it to submit our monthly production reports.

If you are in need of anything further in this matter please let me know. Thank you for all of your assistance with this transfer.

Sincerely,

uJudy Burkhart,

Secretary

Enclosures


RECEIVED

DIVISION OF OIL GAS & MINING

ATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

SUBMY (TRIPLICATE) (Oth instructions on reverse side)

	5. LEASE DESIGNATION AND SERIAL NO II149IND7180	
SUNDRY (Do not use this form for Use ")	NOTICES AND REPORTS ON WILLS or proposals to drill or to deepen or plug back to a different reservoir APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTES OR TRIBE NAM
OIE		7. UNIT AGREEMENT NAME
	TER	English Unit
	& Gas Company	English WN
ADDRESS OF OFFEATOR		9. WELL NO.
P. O. Box 2208, Ro	oswell, NM 88202	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface	cation clearly and in accordance with any State requirements.	Boundary Butte
		11. SEC., T., E., M., OR BLE. AND
1970' FNL & 180'	FWL .	Sec 22-T43S-R22E
4. PERMIT NO.	15. BLEVATIONS (Show whether OF, PT, OR, etc.)	12 COUNTY OR PARISM 18. STATE
43-037-202		San Juan UT
······································	eck Appropriate Box To Indicate Nature of Notice, Repo	or Other Data
•	or intention to:	AURANUPHT ESPORT OF:
TIST WATER SHUT-OFF	PULL OR ALTER CASING WATER SHUT-OFF	REPAIRING WELL
PRACTURE TREAT	MULTIPLE COMPLETE PRACTURE TREATME	HT ALTERING CARING
SHOOT OR ACIDIZE	ABANDON® BEGOTTING OR ACIDI	
REPAIR WELL	J. Strame Book	hange of Operator X re results of multiple completion on Well re Recompletion Report and Log form.)
(Other)	ETED OPERATIONS (Clearly state all pertinent details, and give pertine directionally drilled, give subsurface locations and measured and tr	as deen including estimated date of starting a
Change of Operator TO:	Hondo Oil & Gas Company P. O. Box 2208 Roswell, NM 88202 Mountain States Petroleum Corp. 213 E. Fourth Street	ME O 6 1992
	Roswell, NM 88201	DIVISION OF OIL GAS & MINING
EFFECTIVE DATE:	2/1/92	
ACTUAL FIELD OPERA	TIONS BY MOUNTAIN STATES PETROLEUM CORPOR	ATION BEGAN 6/1/92
	Mountain States Petrol	eum Corp
18. I hereby carrier that the for		President 5/27/92
(This space for Federal or	State office use)	
		DATE
APPROVED BY	TITLE	V=1=



P.O. BOX 308

WINDOW ROCK, ARIZONA 86515

(602) 871-4941

PETERSON ZAH PRESIDENT

MARSHALL PLUMMER VICE PRESIDENT

August 20, 1992

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. Paul Slayton Mountain States Petroleum Corporation 213 East Fourth Street Roswell, New Mexico 88201

Dear Mr. Slayton:

Enclosed please find an approved copy of the Navajo Nation's Assignment of Mining Lease form for oil and gas lease number I-149-IND-7180.

If you have any questions, please do not hesitate to call our office at (602) 871-6587.

Sincerely,

MINERALS DEPARTMENT

Thompson Johnson Landman

Enclosure

50% interest (11-23-63)

NOITAN OLAVAN 3HT MINERALS DEPARTMENT . DIVISION OF RESOURCES

ASSIGNMENT OF MINING LEASE Pai

	Part Lease No. 1-149-IND-718
1. Date the original mining lease was app	proved by the Department of the Interior:
Dated: June 24, 1946	Approved: August 30, 1946
2. Primary Term:Ten (10) Years	Royally Raie: 12.5%
3. Lessoe: Byrd-Frost. Inc.	
4. Description of the land being assigned:	: S/2 of Section 8: S/2 of Section 15: All of
Sections 16, 17, 21, 22, 23,	26. 27. 35 & 36. T-43-5. R-22-E; and All of
Section 31, T-43-S, R-23-E,	Salt Lake Meridian, San Juan County, Utah
5. Assignor: Hondo Oil & Gas Com	npar y
8. Assignee: Mountain States Pet	roleum Corporation
7. Portion of the rights/little under transfer:	1.11 of Hondo Oil & Gas Company's right, title
and interest, being an undiv	ided 50% interest.
3. Reserved overriding royalities: N	lones .
). Previous assignees and portion of the ri	ights/title transferred and overriding royalites:
(1) Byrd-Frost, Inc. to Paul	B. English - an undivided 25% interest (12-03-46)
	•
(2) Byrd-Frost, Inc. to West	ern Natural Cas Company - an undivided 37.5%
interest (6-02-47)	
(3) Paul B. English to Wester Interest (6-03-47)	rn Natural Gas Company - an undivided 12.5%
(4) Western Natural Cas Compa	ary to *Sinclair Oil & Cas Company - an undivided

If there were more than tour (4) previous Assignees, please use continuation form(5)

Gas Company by virtue of merger in 1969

The Assigned shall turnish to the lessor (The Navajo Nation, Attention: Minerals Department P.O. Box 146, Window Nock, AZ 86515), copies of all reports illed with the Minerals Management Service and the Bureau of Land Management subsequent to tedera laws and regulations, when filed. The Assignee shall furnish also all oil and gas sale tickets, copies of drill stem tests, pressure tests, core analyses, seismic data and any other information required by the Minerals Department for this lease.

*Atlantic Richfield Company being successor in interest to Sinclair Oil &

Mountain States Petroleum Corporation


ASSIGNEE'S SIGNATURE

Data

MOUNTAIN STATES PETROLEUM CORPORATION

213 EAST FOURTH STREET
ROSWELL, NEW MEXICO
88201

October 21, 1992



State of Utah
Natural Resources
Oil, Gas, & Mining
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
Attn: Ms. Vicky Corney

DIVISION OF OIL GAS & MINING

Ĺ

Re: Form DOGM 56-64-21 for Hondo Oil & Gas Co. Roswell, N M.

Dear Vicky:

Please find enclosed copies of the above referenced forms made out to Hondo Oil & Gas Co. These properties have been sold to Mountain States Petroelum Corp., and we have been making reports on said properties since June 1992. Mountain States Petroleum Corp.'s Account Number is 9500.

Please check and see if this has all been changed over to Mountain States Petro. Corp.

Thank you for your help in this matter.

Very truly yours,

RLW/ms

Enclosures

MOUNTAIN STATES PETROLEUM CORPORATION

213 EAST FOURTH STREET ROSWELL, NEW MEXICO 88201

October 29, 1992

Utah Department of Natural Resources 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84130-1203

Attention: Lisha Romero - FAX # 801-359-3940

Re: Boundary Butte Field

English Lease - Navajo Nation I-149-IND-7180

Dear Ms. Romero,

Pursuant to our telephone conversations this date I am faxing you a copy of the assignment of mining lease approved by the Navajo Nation.


As we discussed, all of the English wells are located on this one Indian lease and this copy should allow you to change your records to show that Mountain States Petroleum Corporation took over as operator in June of this year.

If you are in need of anything further in this matter please let me know. Thank you for all of your assistance with this transfer.

Sincerely,

Judy Burkhart, Secretary

Attachments: 4 pages



Dianne R. Nielson, Ph.D.

State of Utah

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 Division Director 801-538-5340

October 30, 1992

Judy Burkhart Mountain States Petroleum Corporation P. O. Box 1936 Roswell, New Mexico 88202

Dear Ms. Burkhart:

Re:

Hondo Oil & Gas Co. to Mountain States Petroleum Corporation.

In reviewing the operator change for the referenced companies, it was determined that your company is not currently registered with the Utah Department of Commerce. This letter is written to advise you of your responsibility to register your company with the state prior to conducting business within Utah. This can be accomplished by contacting:

> Department of Commerce Division of Corporations 160 East 300 South Salt Lake City, Utah 84111 (801) 530-4849

> > Sincerely,

Lisha Romero

Adm: nistrative Analyst

cc:

Dept. of Commerce D.T. Staley R.J. Firth Operator File(s) Correspondence File/ldc

	of Oil, Gas and Mining OR CHANGE HORKSHEET	Routing:
	ll documentation received by the division regaeach listed item when completed. Write N/A if	erding this change.
⊠x Chang □ Desig		Designation of Agent Operator Name Change Only 5-RWM 6-ADA 6-ADA
The ope	erator of the well(s) listed below ha	
TO (new	MOUNTAIN STATES PETRO CORN (address) PO BOX 1936 ROSWELL NM 88202 JUDY BURKHART phone (505) 623-7184 account no. N 9500	(address) PO BOX 2208 ROSWELL NM 88202 REIDA HENRY
Hell(s)	(attach additional page if needed):	
Name:_ Name:_ Name:_ Name:_	API:	Entity: Sec_Twp_Rng_Lease Type:
<u>Yel</u> 1.	operator thitaen to this forms. (Acid	legal documentation has been received from <u>former</u> (d. 8-6-92) gal documentation, has been received from <u>new</u> operator
	(Attach to this form). (Red 86.42)((fec'd 10-22-92) (fec'd 10-29-92)
•	yes, show company file number:	contacted if the new operator above is not currently ompany registered with the state? (yes no) If (Letter mailed 10-30-92)
٨	comments section of this form. Mai changes should take place prior to c	The BLM has been contacted regarding this change orm to this report). Make note of BLM status in nagement review of Federal and Indian well operator completion of steps 5 through 9 below.
	listed above. (10-30-927	l and Gas Information System (Wang/IBM) for each well
yer 6.	Cardex file has been updated for eac	th well listed above. (10-30-92)
Jul 7.	Well file labels have been updated f	or each well listed above. (10-3092)
•	for distribution to State Lands and	
Jel 9.	A folder has been set up for the Opplaced there for reference during ro	perator Chance file, and a copy of this page has been buting and processing of the original documents.

PERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completer. Write N/A . item is not applicable
NTITY	REVIEW
	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Here entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VE	RIFICATION (Fee wells only)
	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
<u>v/</u> A 2.	A copy of this form has been placed in the new and former operators' bond files.
la 3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
ENSE I	NTEREST OWNER NOTIFICATION RESPONSIBILITY
D(S	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<u>/</u> / 2.	Copies of documents have been sent to State Land; for changes involving State leases.
ILMINO	
	IM All attachments to this form have been microfilmed. Date: May 3 1992.
ILING	•
<u>il</u> 1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
OMMENT	
92102	9 Bhm/moab "Handled thru Bhm/N.m." (See BIA Approval)
	

E71/34-35

Division of Oil, Gas and Mining

COMMENTS:

OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

Change of Operator (Well Sold)				X - 0	perat	or Name	Change/N	Aerger	z. CD W		
The operator of the well(s) listed below has changed, effective:					-		1/1/2008				
FROM: (Old Operator): N9500-Mountain States Petroleum Corp 3001 Knox St. Suite 403 Dallas, TX 75205				TO: (New Operator): N3495-Nacogdoches Oil & Gas, Inc PO Box 632418 Nacogdoches, TX 75963-2418							
Phone: 1 (214) 389-9800				Phone:	1 (936)	560-4747					
CA No.			Unit:								
WELL NAME	SEC	TWN	RNG	API N	0	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS		
SEE ATTACHED LIST											
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa 3. The reverse recovery was already don't be Percent	is rece	eived fi	rom the	NEW o	perator	on:	5/9/2008 5/9/2008	-	12/5/2007		
3. The new company was checked on the Departs4a. Is the new operator registered in the State of U		oi Con	nmerce	Busines		_	s Database (5757345-014		12/3/2007		
4a. Is the new operator registered in the State of U5a. (R649-9-2)Waste Management Plan has been re		d on:		IN PI)CI. (737343-01-	-			
				n		-					
 5b. Inspections of LA PA state/fee well sites complete on: 5c. Reports current for Production/Disposition & Sundries on: 					6/10/08	<u>-</u>					
						_	ahamaa				
 6. Federal and Indian Lease Wells: The BI or operator change for all wells listed on Feder 7. Federal and Indian Units: 	al or I	ndian l	leases o	n:		BLM	-	BIA	_not yet		
The BLM or BIA has approved the successor 8. Federal and Indian Communization Ag					stea on		n/a	-			
The BLM or BIA has approved the operator					A on:		n/a				
9. Underground Injection Control ("UIC"		WOIIS				oved UIC F	orm 5, Tran	- sfer of A	uthority to		
Inject, for the enhanced/secondary recovery ur		iect fo						n/a	•		
DATA ENTRY:	F	,		r		(-)			-		
 Changes entered in the Oil and Gas Database Changes have been entered on the Monthly Open 		or Cha	nga Sn	6/10/		-	6/10/2008				
3. Bond information entered in RBDMS on:	per act	от Спа	inge op	n n			0/10/2000	-			
4. Fee/State wells attached to bond in RBDMS or	1:			n		-					
5. Injection Projects to new operator in RBDMS	on:			n	/a	- -					
6. Receipt of Acceptance of Drilling Procedures for APD/New on:						n/a					
BOND VERIFICATION:											
1. Federal well(s) covered by Bond Number:				n		-					
2. Indian well(s) covered by Bond Number:				3(01	-					
LEASE INTEREST OWNER NOTIFIC				. •	1			D			
4. (R649-2-10) The FORMER operator of the fee					d infori		tter from the	Division			
of their responsibility to notify all interest owne	12 01	mis cil	ange on	•		n/a					

STATE OF UTAH

	DEPARTMENT OF NATURAL RES	OURCES				
	5. LEASE DESIGNATION AND SERIAL NUMBER: I-149-IND-7180					
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Nation					
Do not use this form for proposals to drill in drill horizontal la	7. UNIT OF CA AGREEMENT NAME: None					
1. TYPE OF WELL OIL WELL	8. WELL NAME and NUMBER:					
2. NAME OF OPERATOR:	GAS WELL OTHE		See attached 9. API NUMBER:			
NACOGDOCHES OIL & G	Gas, Inc. $N3495$		See attach			
	, NACOGDOCHES STATE TX	ZIP 75963-2418 PHONE NUMBER: (936) 560-4747	10. FIELD AND POOL, OR WILDCAT: Boundary Butte			
4. LOCATION OF WELL	<u>. Pro 4</u> 88 kwa kata 1975 Walio 148	· ···································	The second secon			
FOOTAGES AT SURFACE: See at			COUNTY: San Juan			
QTRAQTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:		STATE: UTAH			
" CHECK VODE	PODDIATE POYES TO INDIC	ATE NATURE OF NOTICE, REPO				
TYPE OF SUBMISSION	TOPRIATE BOXES TO INDIC	TYPE OF ACTION	IRI, OR OTHER DATA			
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION			
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL			
Approximate date work will start:	CASING REPAIR	MEW CONSTRUCTION	TEMPORARILY ABANDON			
1/1/2008	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR			
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE			
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL			
Date of work completion:	CHANGE WELL STATUS COMMINGLE PRODUCING FORMATION	PRODUCTION (START/RESUME)	WATER SHUT-OFF			
	CONVERT WELL TYPE	NS RECLAMATION OF WELL SITE RECOMPLETE - DIFFERENT FORMATION	OTHER:			
Phone: (214) 389-9 Signature: Kir Chambe	ST, Suite 403 /N / 75205	008 [.] 				
NAME (PLEASE PRINT) Onna Fin	ley .	TITLE Secretary/Treasu	ırer			
SIGNATURE	tuley	DATE 4/23/2008				
(This space for State use only)			RECEIVED			
APPROVE	D 611012008					
\mathcal{L}	e Russell	•	MAY 0 9 2008			
		instructions on Reverse Side)				
Division of Oil,	Cas and Mining Engineering Technician	·	DIV. OF OIL, GAS & MINING			

(5/2000)

FORM 9 Attachment

API Well								Township-				
Number	Current Operator	New Operator	Well Name	Well Status	Well Type	Qtr/Qtr	Section	Range	FNL/FS	<u>L</u>	FEL/FW	
43-037-15911	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 1	Producing	Gas Well	NENW	22	43S-22E		N		W
43-037-15915	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 6	Shut-In	Gas Well	SENE	16	43S-22E		N		E
43-037-15916	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 7	Shut-In	Gas Well	NENW	16	43S-22E		N		W
43-037-15918	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 9	Shut-In	Gas Well	SWNE	16	43S-22E		N	1650	E
43-037-15919	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 10	Producing	Gas Well	SENE	21	43S-22E		N	760	E
43-037-15920	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 11	Shut-In	Gas Well	NENW	26	43S-22E		N		W
43-037-20070	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 12	Producing	Oil Well	SENE	21	43S-22E	1550		660	E
43-037-20104	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 13	Shut-In	Oil Well	NENE	21	43S-22E		N	940	E
43-037-20105	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 14	Shut-In	Oil Well	NWNW	22	43S-22E		N		W
43-037-20148	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 16	Shut-in	Oil Well	NWNW	22	43S-22E		N		W
43-037-20150	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 15	Shut-In	Oil Well	SWSE	16	43S-22E		S	1350	E
43-037-20175	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 17	Shut-In	Oil Well	SWNE	21	43S-22E		N	1700	E
43-037-20182	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 19	Shut-In	Oil Well	NWNE	21	43S-22E		N	1750	E
43-037-20185	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 20	Shut-In	Oil Well	SENE	21	43S-22E		N	660	E
43-037-20187	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 21	Shut-In	Oil Well	SWSE	16	43S-22E		S	2580	E
43-037-20195	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 23	Shut-In	Oil Well	NWSE	16	43S-22E		S	1920	Ε
43-037-20217	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 25	Shut-In	Oil Well	NESW	16	43S-22E		S		W
43-037-20235	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 27	Producing	Oil Well	SWNW	22	43S-22E		N		W
43-037-20239	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 28	Producing	Oil Well	SWNE	21	43S-22E		N	1375	E
43-037-20254	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 29	Shut-In	Oil Well	NWSW	22	43S-22E		S	180	W
43-037-20283	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 30	Producing	Oil Well	NWSW	22	43S-22E		S	960	W
43-037-30021	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 34	Shut-In	Oil Well	SESE	16	43S-22E		S	850	E
43-037-30022	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 35	Shut-In	Oil Well	NESW	22	43S-22E		S		W
43-037-30027	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH WN 33	Producing	Oil Well	NENE	21	43S-22E	880	N	240	E
43-037-30805	Mountain States Petroleum Corp	Nacogdoches Oil & Gas, Inc	ENGLISH 37	Shut-In	Gas Well	SWSE	22	43S-22E	610	S	1940	Ε

RECEIVED

MAY 0 9 2008

DIV. OF OIL, GAS & MINING